

Claim 2 (withdrawn due election/restriction requirement)

Claim 3 (withdrawn due election/restriction requirement)

Claim 4 (cancelled)

Claim 5 (withdrawn due election/restriction requirement)

Claim 6 (withdrawn due election/restriction requirement)

---

Claim 7 (currently amended): The syringe of claim ~~4~~1, wherein said plunger  
shaft handle member is molded to a rear terminus  
of said plunger shaft.

32  
Claim 8 (currently amended): The syringe of claim 1, wherein a rear terminus of  
said corrugated sheath is molded to a said plunger  
shaft handle member.

---

Claim 9 (withdrawn due election/restriction requirement)

Claim 10 (withdrawn due election/restriction requirement)

Claim 11 (withdrawn due election/restriction requirement)

Claim 12 (withdrawn due election/restriction requirement)

Claim 13 (original): The syringe of claim 1, wherein said corrugated sheath is  
expandable and collapsible along the longitudinal axis of said  
hollow syringe barrel.

Claim 14 (withdrawn due election/restriction requirement)

~~Claim~~ 15 (cancelled)

B3  
Claim 16 (currently amended): The syringe of claim ~~15~~ 1, wherein said syringe barrel handle member is molded to or formed on the rearward end terminus of the syringe barrel.

✓ Claim 17 (cancelled)

Claim 18 (withdrawn due election/restriction requirement)

Claim 19 (withdrawn due election/restriction requirement)

Claim 20 (withdrawn due election/restriction requirement)

Claim 21 (previously added): The syringe of claim 1, wherein said corrugated sheath is expandable and collapsible along a longitudinal axis of said plunger shaft.

Claim 22 (previously added): The syringe of claim 1, wherein said syringe barrel has measuring indicia printed thereon.

Claim 23 (previously added): The syringe of claim 1, wherein said syringe barrel, said plunger shaft, said corrugated sheath are colored or tinted.

Claim 24 (previously added): The syringe of claim 1, wherein said syringe is provided with a removable closure cap.

Claim 25 (previously added): The syringe of claim 1, wherein said syringe is provided with a removably attachable needle or permanently attached needle.

Claim 26 (previously added): The syringe of claim 1, wherein said syringe is provided with a brace means.

---

Claim 27 (new): The syringe of claim 1, wherein said syringe barrel is formed with a forward end that tapers to a reduced diameter neck, said reduced diameter neck forming a permanent forward-end orifice.

Claim 28 (new): The syringe of claim 1, wherein said syringe is capable of drawing a quantity of liquid into said syringe barrel by withdrawing said plunger shaft and attached piston along said syringe barrel cavity, maintaining said quantity of liquid forward of said piston, and ejecting said quantity of liquid from a forward-end opening.

Claim 29 (new): The syringe of claim 1, wherein said corrugated sheath does not automatically recoil after being lengthened or compressed.

Claim 30 (new): The syringe of claim 1, wherein said corrugated sheath encloses the length of the plunger existing between the rearward end face surface of the syringe barrel handle member and the forward face of the plunger handle member.

Claim 31 (new): The syringe of claim 1, wherein said syringe comprises a rearward end opening for entrance and exit of said plunger shaft, such that each successive portion of said plunger shaft that exits said rearward end opening is enclosed and encircled by said corrugated sheath and each successive portion of said plunger shaft that exits said corrugated sheath passes through said rearward end opening.

B4  
Cancel

Claim 32 (new): The syringe of claim 1, wherein said plunger shaft is a single, continuous component extending between said piston and said plunger shaft handle member.

---